Manufacturers of Quality Industrial Safety Equipment



















## Corporate Profile

We would gladly introduce ourselves as BeamTeam Safety Products Pvt. Ltd, An ISO 9001:2008: Certified Company, engaged in manufacturing, marketing and servicing of Personal Protective Equipment.

We manufacture and market our complete range under Brand name-Bearn Tearn\*. Bearn Tear

All products are as per International and Indian Standards, and are ISI and CE certified. To assure best quality product.

Beam Team prides itself for its Quality products and Timely Delivery.

Beam Team promoters are in the line of safety business and training for more than 20 years, and are backed up with experienced professionals that bring quality product through constant R & D endeavour. Our products and services offers custom made solutions, Our products are made up of superior quality material and crafted to perfection to suit your comfort, necessity and safety.

Beam Team most importantly believe in training of workman and organize regular training and mock drill at

We are constantly working to improve product performance to ensure a safer working environment.

#### Our Mission and Vision are not just a statement for BeamTeam it is our Way of Life.

**Mission-** Our Mission is to Provide Custom made Solutions and train the community for Safe working and Save lifes. **Vision-** To Design the Best Personal Protective Equipment to serve the mankind across the Globe.

Rishi Raj Singh Chairman

#### From the Desk of Management

BeamTeam is a Dream Venture of us. Our Tag Line is "Its All About Team Work" Together we can and we will create a safer work place. Our Team Members are Partners not an employee. And as a Team we are committed to provide Finest Quality - PPE in affordable Pricing, by breaking the set rule that Products has to be highly priced for best quality We understand the value of life and provide world class Safety Equipment, this way we can in a small way contribute to the society. We believe in achieving goals and reaching New Heights in World of Safety.



Keerti Raj Singh President-Marketing



#### CONTENTS

Cerification/Norms 05-12 Harness & Belts (Tower harness/Sit harness/Work Postioning /Freedom range/Gladiator range /Combination harness) Hooks & Connectors 13 14 Lanyards 15-16 Energy Absorber Forked Lanyard Horizontal Life Line 17 18-19 Rope Grab Fall Arrestor 20 Rope Access and rescue 21 Fasade Cleaning & Maintanance Kit 22 Confined Space Entry Head protection 23 24-28 Reflective Workwear **Body Protection** 29 30 LifeBuoy/Life jacket/Fire Blanket Caution Tape 31 Safety Nets / Rope Ladder 32-34 35-41 Foot Protection 42-43 Road Safety 44-45 Signage 46 Training





## Certification

#### System Certification ISO 9001:2008


Under this certification all process and system are stringently maintained to provide quality products at each stage of manufacturing and service.

#### **Product Certification**

Most of Our Products are as per European and Indian Standard and are ISI and CE Certified.















**DISTINCTIVE FEATURES OF** BeamTeam Tower Harness Specially Designed for Rope Access ,Climbing & Rescue.

Art No- BT 50



- 1 Adjustment buckle for ease to use with single hand.
- 2 Label-Label and marking of the harness enclosed in polyethylene tube to prevent fading in sunlight and water.
- 3 Sternal D Ring for Fall Arrest.
- 4 Ventral D Ring for Rescue and rope access.
- 5 Automatic buckle with pull grip for easy adjustment for best fit.

- 6 I D PLATE Dorsal webbing holding cross Plate for holding D Ring in place even after a Fall.
- 7 Shoulder PAD Fully Padded for better comfort ,shock absorption and air circulation.
- 8 Work Postioning Belt- 2 Lateral D Ring attached in waist belt for work postioning.
- 9 Thigh Strap- Fully Padded Straps with automatic

#### Art no BT 50

Meets EN 358,EN 361:2002,& EN 813






#### How To Wear Harness






















## How To Wear Work Positioning Belt









Adjust the lanyard length with the adjuster in order to be able work comfortably with both hands free.



#### **SIT Harness**

#### Art No-BT 51

- 2 Lateral D ring for work positioning
- 1 Ventral D Ring for Rope access
- · Adjustable and soft padded thigh strap and waist belt for best possible comfort
- · Usage- Work positioning ,Restraint System and rope access work
- Meets EN 358:2000 & EN 813



#### **Work Positioning Belt**

#### Art No- BT 61



- Wide Comfort pad to support long working period
- Fully Adjustable
- Two Lateral D ring for work postioning
- · Tool Holding webbing loops
- Meets EN 358:2000



#### Art No-BT 62



- Narrow Comfort Pad for sufficient support
- Fully Adjustable
- Two Lateral D ring for work postioning
- Tool Holding webbing loops
- Meets EN 358:2000

#### **WORK Positiong Lanyard with Grip Adjuster**

#### Art No-BT 260

- Made of 14 mm dia polyamide 3 strand twisted rope with maximum length 2 mtrs
- Rope grab adjuster for length Adjuster
- Both End connected with Karabiner BT H 10
- Meets EN 358:2000





BeamTeam Offers varied range of ISI Standard Fall Protection Harness, which covers all features of Height Safety in most hazardous Situation. Manufactured from Most advanced polyester Webbing and specially designed buckles. Providing Best ergonomics fit for workers.

Conforms to IS 3521:1999

## Freedom Range Harness (ISI Range)



#### Art No-BT 11

(Class A) for basic fall arrest

This harness has one Dorsal D ring and is designes to support the body in comfortable position after any fall.



(Class L) for tower climbing

This harness is Used for ladder and Tower climbing, It is equipped with 2 D ring at the front of two shoulder straps for Tower Climbing (with Fall Arrester) and one dorsal D Ring for Fall Arrest.





#### Art No-BT 13

(Class D) for controlled descent

This Harness has Front D ring that is used for controlled descent form height, One Dorsal D ring for Fall Arrest.





#### Art No-BT 14

(Class P) for work positioning

This harness has 2 Lateral D ring for work positioning , worker can work with both hands free one D Ring is used for fall Arrest.



(Class E) for Entry and exit in confined area. This harness has 2 sliding D Ring on each shoulder strap to help easy entry and exit into confined spaces. One back d Ring to be used for Fall Arrest.



Beam Team ISI Range harness comes with economy range of 3 strand 12 mm Polypropylene lanyard (length 1.8 mtr/2 mtrs/3 mtrs).

Art No BT 162



Link connecting PP Rope Lanyad one side loop & Other side Snap Hook BT HK 10

Art No BT 164



Link connecting PP Rope Lanyad one side loop & Other side Scaffhold Hook BT-HK11

(Available in single and double lanyard)



BeamTeam offers GLADIATOR range of full body Harness,It is equipped with various unique features to provide ergonomics and full comfort and surpasses the highest safety standard

#### Some silent features of BeamTeam Harness

- Bright colour combination for differentiation for shoulder and leg strap and user can be visible from far distance
- All metal fittings are yellow passivation for better corrosion resistance.
- · Ideally positioned sit-strap for extended comfort
- Meets EN 361:2002





#### Art No-BT 21

Adjustable thigh –strap and sliding plates for easy adjustment of chest strap. Dorsal D ring for Fall Arrest

#### Art No -BT 22

Adjustable thigh –strap and sliding plates for easy adjustment of chest strap. 2 Chest attachment textile loops and a Dorsal Dring for fall Arrest.





#### Art No-BT 23

Adjustable shoulded and thigh strap, and sliding plates for easy adjustment of chest strap. Dorsal Dring for Fall Arrest



#### Art No-BT 24

Adjustable shoulder and thigh –strap.
Two Chest attachment textile loops and a Dorsal D Ring for fall Arrest.

#### Art No-BT 25

Adjustable shoulded and thigh strap,and sliding plates for easy adjustment of chest strap.2 chest attachment D-Ring a Dorsal D Ring for Fall Arrest

#### Art No -BT 26

Adjustable thigh –strap.1 chest attachment/ D-Ring a Dorsal D Ring for Fall Arrest



## Combination Harness

Work Postioning belt can be attached to any GLADIATOR RANGE harness to make it combination harness (Note combination can be done for all Gladiator range of harness) Meets to EN-361:2002& EN 358:2000



Art No -BT 25 Art No -BT 61 Art No -BT 35





# Hooks & Connectors

All Beam Team range of Hooks and Connectors are made of Alloy Steel and Stainless Steel. Each one has basic important safety feature of two deliberate consecutive manual action opening, They all have minimum breaking strength of 23 kn, and are provided with zinc electroplating for extended corrosion resistance.

Meets EN 362:2004



BT-HK10 SNAP HOOK – Steel Alloy Opening- 18 mm. BS-23kn



BT-HK11 SCAFFHOLD HOOK-Forged Steel Alloy Opening -55mm.BS -20kn



BT-HK12 SCREW LOCK KARABINER-Steel Alloy Opeing-17mm.BS-22kn



BT -HK13 Quarter Turn KARABINER-Steel Alloy Opening-18mm.BS-22kn



BT-HK14 SPRING Hook ,alloy steel ,gate 20 mm ,BS 20 Kn




BT-HK15 Screw Hook –Steel Alloy Opening-20mm.BS-20kn



## Lanyards

BeamTeam has various Range of Restraint Lanyard, that can be attached to Harness, All Lanyards are Tested as per EN 354:2002, and have minimum breaking strength of 22kn. All Lanyad end is covered with transparent sleeve to protect and make visible splicing or stiching for easy inspection. Loops at end are protected by an abratation resistant thimble to safeguard metallic contact with rope. The rope also has coloured tracer which looses its colour in course of time, and indicated that lanyard is unfit for use. Meets: EN 354:2002



Any Combination of Hook can be attached to the Lanyard.



## **Energy Absorber**

BeamTeam introduces Impact Absorber, It is attached to the lanyard or fall arrester to minimize the impact of shock in case of fall. It reduses the impact to less than 6Kn. It is essential component of connecting system. Made of 44 mm tear webbing.

Meets EN 355:2002



Beamteam recommends a safe clear distance of 6 mtr for Energy Absorber.



#### Forked lanyard with ENERGY Absorber

BeamTeam Forked lanyard comes in twisted rope, kernamental rope and polyester webbing. It enable to move in all direction while remaining anchored safely all the time. Available length 1.5 m, 1.8 m, 2 m Meets: EN 355:2002











Connector BT HK- 12

Energy Absorber BT 600

Connecting Element BT 160 / BT 170 / BT 180

Connector BT HK-11

#### Art No- BT 601

Energy Absorbing Double 3 strand Twisted Polyamide Rope Lanyard 12mm Dia With 2 Scaffhold Hook BT 11 & One Carabiner BT 12



#### Art No- BT 603

Energy Absorbing Double Braided Rope Lanyard 12mm Dia With 2 Scaffhold Hook BT 11 & One Carabiner BT 12



#### Art No- BT 605

Energy Absorbing Double Webbing Lanyard 44 Mm Dia With 2 Scaffhold Hook BT 11 & One Carabiner BT 12





## Horizontal Anchorange Lifeline

BeamTeam introduces Horizontal Anchorange


lifeline BT 2000 Made of 30


mm Polyester Webbing
equipped with Rachet
Tensioner that allows
easy tensioning of
lifeline between both
ends. It is attached with a
bag, that can be easily
assembled. Both ends are
provided with auto locking karabiners.(BT-HK 12)

Meets: EN 795 Class B



Art No-BT 2000







## Rope Grab Fall Arrester

BeamTeam Rope grab fall arrestor is a device that can be used for restricted area where worker is moving up and down and fall clearance is very less. It help worker from falling during ascent or descent, it locks immediately when fall occur.

- Features of BeamTeam Rope grab fall arrestor
- Short fall distance,low impact force of less than 6kn.failsafe design.
- Work on 14-16 mm dia 3 strand anchorage line.
- · Gravity locking mechanism to prevent incorrect use.
- · Double security locking system
- Meets: EN 353-2:2002

Art No-BT 70A



Art No-BT 70B With Shock absorber



Art No-BT 70C

With Spacing strap



Beamteam 14-16 mm Three Strand twisted polyamide anchorage line is used with Rope grab Fall Arrester.





Art No-BT 71



Art No- BT 1010



## Rope Access & Rescue

Rope Access is the means of accessing difficult areas or areas normally inaccessible by conventional means. It involves suspending a person to their point of work by the use of a personal positioning system. The basic rope access equipment should be used with the fall protection system.



Art No-BT 45

#### Descender

- Works on 10.5-11 mm kernamental rope
- Used for descent on single rope.
- Works on unique self braking system which initiates the brake as soon as the handle is released or clasped tightly.
- Conforms EN 341-Class A



Art No-BT 450

#### **Kernamental Rope**

- Kernamental rope is made of Polyamide.
- Available in various length with maximum length of 220 mtrs
- Available in Dia of 9 mm, 10.5 mm, 12 mm



Art No-BT 1010

#### **Anchorage line**

- Made up of polyamide.
- Available in various length with maximum length of 200 mtrs.
- Available in Dia of 12 mm, 14 mm.

#### **Pilot Chair**



Art No-BT 80

To be used for vertical ascent and descent. Ergonomic and comfortable working chair. Tested as per EN 1498

#### **Evacuation Triangle**

To be used for rescue of Injured Personnel



Art No-BT 81



# Fasade Cleaning & Maintance Kit

BeamTeam has designed this kit for personnel engaged in maintenance jobs at height. This Kit gives ultimate working comfort while working at heights, hanging for hours, it gives sitting comfort.



Art No-BT 101 Kit Bag



## **Confined Space Entry**

BeamTeam Provides equipment for access in confined spaces

#### TRIPOD

#### **Art No-BT 1200**

- · Used for Access in Confined Area
- Fully Adjustable aluminum telescopic legs
- · 2 auxillary eye bolts and mounted pulley as attachment point
- · Allumunium cast alloy head
- · Anchorage point strength more than 10 kn
- · Weight- 14 kg
- Provide with Bag
- Compliance with EN 795 Class B

#### WINCH

#### **Art No-BT 1201**

- Used for lowering of personnel or material into confined spaces.
- Lifting load-125 kgs
- · Length- 20 mtrs- 30 mtrs
- · Equiped with bolting fixtures for robust fitting on the Tripod
- Conforms to EN 1496:2006(Class A)







## **Head Protection**

BeamTeam Helmet is made from premium pure virgin Polymer for maximum protection from risk of falling object and designed to provide optimum shock absorption. BeamTeam Helmet is designed light weight to give comfort for long working hours. Head band and chin strap is made of non irritant soft fabric and pad.

#### Beam Team Helmet is available in Button Type cradle and Rachet Type cradle



Art No-BT HP 01 Button Type



Art No-BT HP 02 Rachet Type



#### Colour Available



Conforms IS 2925:1984



## Reflective Workwear

BeamTeam manufactures Various range of Reflective safety workwear that is necessary for any industry.

BeamTeam Offers Both Microprismatic Tape and glassbead Tape as per latest International Standard for reflective products industry. We use high visibility and bright colour Fabric in Plain and Mesh Polyster.

BeamTeam manufactures it High visibility Safety Jackets as per EN 471, ensuring Best international Standard.

BeamTeam CUSTOMIZE safety reflective workwear as per your requirement, We do provide LOGO of your company for professional corporate Identity.



Microprismatic tape



**Day View** 



**Glass Bead Tape** 



**Night View** 



## Customised Reflective Jackets



- 1 Manufacture Label and Wash Care
- 2 Lock Stitch for more durability
- **3** Velcro or Zipper closures.
- 4 Combination of Orange /Lime/Green /Blue/Maroon colour as per your requirement.
- 5 3M Glass Bead Tape/Micro prismatic Tape as per requirement.
- 6 Client LOGO can be used in Front and Back.
- 7 Transparent Pocket for Identity Card.
- 8 2 Pocket
- 9 Poly core Thread.

Art No-BT 800.1



# Premium Range Customised Reflective cuplete liberty to design the product as per there chave some Premium Designs to suits you.

BeamTeam Gives his Client complete liberty to design the product as per there requirement, Meanwhile we too have some Premium Designs to suits you. Premium Range is made of 3M Glass Bead Tape with 90 to 210 gsm Fabric, As per your requirement. We do provide Logos or any marking on jackets.



Art No-BT 800.2



Art No-BT 800.3



Art No-BT 800.4



Art No-BT 800.5



Art No-BT 800.6



Art No-BT 800.7



## Reflective Safety Jackets

BeamTeam Classic range of Reflective Safety Jackets made of Polyester Fabric and Mesh, with Micro prismatic tape, available in six different colour



Made with 60-65 gsm Fabric with option of 1 or 2 inch Microprismatic Tape.we do offer same colour Lining and LOGO on demand.



Art No-BT 811(F)



Art No-BT 811(M)



Made with 60-65 gsm Mesh Fabric with option of 1 or 2 inch Microprismatic Tape, we do offer same colour Lining and LOGO on demand.



### Reflective Cross Belt

BeamTeam Reflective cross belt made of Polyester Fabric and Mesh, with Micro prismatic and Glass Bead tape.



# Multi Opening Reflective jacket (3 side opening)

BeamTeam Multi Opening Reflective Safety Jackets made of Polyester Fabric and Mesh ,with Micro prismatic and Glass Bead tapes .

Available in Yellow /White Microprismatic tape and 3M /imported Glass Bead tape. Fabric and Mesh option for 60 gsm to 160 gsm.

We do offer same colour Lining and LOGO on demand.







Art No-BT 834 (EN471)



## **Body Protection**

#### Cover All

Beamteam Manufactures Cover All/boiler Suits In Different Colours And Specification. 100% Cotton/polyester Cotton, 180 Gsm To 450 Gsm. Available in Drill Fabric. Colour-Navy Blue, Orange.



Art No-BT 850

Fabric Colour – Orange / Blue 100% Cotton ,250 gsm fabric 3M Glass Bead Reflective Tape



Art No-BT 851

Fabric. Color-Orange/Blue 100% cotton 250 gsm fabric



Art No-BT 855

#### Fire Retardant Reflective Suit

Fire retardant suit design are made of various fabrics like treated cotton/ Nomex/ Tencate. The garment are stitched with FR Threads. Various fastening and trim like Zippers, Reflective tape, and pocket can be customized 100% Cotton 375 Gsm Drill Fr Fabric. (180 Gsm To 375 Available) Navy Blue & Orange:



Art No-BT 856

#### **Aluminized Suit**

Aluminized Kevlar fire retardant suit(Jacket, trouser, Hood, Gloves) is made of aluminized Aramid/Kevlar base fabric. The inner layer made of FR for comfort. This high heat 7 cut resistant garment is best for radiant haed protection three layered Fire Proximity One Piece Suit with Moisture Barrier. Compliance: Fabric is approved as per EN 531.



## Life Buoy / Life Jackets/ Fire Blanket



#### Life Buoy

BeamTeam Lifebuoy is manufactured in high visibility durable synthetic material and is maintenance free .It is Moisture Proof and Non-inflammable. The reflective Material identified Victim in distress.

The LifeBuoy complies latest Regulation.

SOLAS Approved.

Byouancy-16kg

BT LB 11

#### Reflective Life Jackets

BeamTeam Manufatures Refletive Life Jackets as per International norms.


Colour- Orange/Green

Material- 1.5-3 mm Neoprene+Terylene Oxford Textile

Boyant Material- EPE Foamed Polythene

Boyance for Child- S-15-25KG/M-25-35KG/L-35-45KG

Boyance for Adult- M-50-70KG/L-7-90 KG/XL-80-100kg



#### Fire Blanket

High temp. vermiculate coated ceramic fabric and twill texture soft & compact fibre glass fabrics 0.40 mm to 3 mm in thikness, temp. resistant upto 300 to 900 degree celsius .size 1.0 mtr, 2 mtr & 1.8 mtr.





BT FB45

BT FB 85G



## **Caution Tape**

BeamTeam Barricading Tapes is made of high quality LDPE/PP for durability and resistance to all outside elements. This tape is used by construction, Safety, Events, law enforcement, Under ground Pipeline / cables and different utilities.

Barricading tapes are customized as per your requirement /Specific text language/Company LOGO etc. Available in Single Strip form and Tubular form.

Length Available 200,250,300 ,500 mtrs.





## Safety Net

BeamTeam is largest manufacturer of Safety Net in India and serving construction industry since last 20 years. We are most trusted name in this field, and manufacture all types and size of Safety Net as per requirement of industry.

BeamTeam Expertise in Passive fall protection (Safety Net) by preventing fatalities while working at height by providing collective level of protection.

BeamTeam Safety Net is made of

High Strength IS 5175(1992) Marked Polypropylene Ropes tested as per load requirement.

Knotted type and machine made Braided Mesh as per usage.

Combination of botanical net, Fish Net and monofilament as per usage.


Basically for construction Industry Two kinds of Nets are used

For restricting Man Fall and Restricting Debris Fall.


We can customize and have combined Net with Both Usage requirement.







Ask our Expert for suggesting best Safety Net as per your requirement - info@beamteam.in





#### Specification of Safety Net

Safety Net Size	Border Rope	Border Rope B.S (kgf)	Mesh Rope	Mesh Rope B.S (kgf)	Mesh Size	Mesh Type	Addition
10x5m	12mm	2200	4mm	200	100mm	Knotted	• Fish Net 0.5 mm • Fish Net 1 mm • Fish Net 2mm • Botanical Net 75 gsm • Monofilament Net 110 gsm
10x3m	12mm	2200	4mm	200	100mm	Knotted	
10x5m	12mm	2200	6mm	600	100mm	Knotted	
10x3m	12mm	2200	6mm	600	100mm	Knotted	
10x5m	12mm	2200	1+1 mm Double Cord	64	25mm	Knotted	
10x3m	12mm	2200	1+1 mm Double Cord	64	25mm	Knotted	
10x5m	12mm	2200	2.5mm	85	30mm	Braided	
10x3m	12mm	2200	2.5mm	85	30mm	Braided	

#### Rope ladder • Top end is spliced with a thimble Splicing is coved with transparent sleeve Screw Hook BT 14 is Rungs Dia -25 mm Rungs - 35 mm attached. Rope Dia- 12 mm Rope- 16 mm Width of rungs between both ropes is 450 mm Interval between both the rungs is 300 mm Art No-BT 112 Art No-BT 111 Wooden Runge Aluminum Runge




## Safety Footwear

BeamTeam range of Safety Footwear is more than just a shoe, We ensure workforce to function confidently with Protection and comfortability. BeamTeam Safety Footwear are Robust and Reliable.

#### Some Unique Features of BeamTeam Safety Footwear

Genuine TOP Grain Leather Special Injection moulding Breathable Lining Shock – Absorption Heel 200 Joule Steel/Composite Toe Cap





## Safety Footman EON

The EON range is offering best safety features to work in extreme working conditions.


#### Art No BT 521 (DERBY)

- · Light weight Shoe that provides optimum safety and comfort
- · High strength abrasion resistance & Breathable chrome printed leather
- · Sole-PU/SD
- · Protection Offered-Steel Toe Cap/Oil Resitant/Anti Slip
- Size 5-12



#### Art No BT 522 (DERBY)

- · Light weight Shoe that provides optimum safety and comfort
- · High strength abrasion resistance & Breathable chrome printed leather
- · Sole-PU/DD
- · Protection Offered-Steel Toe Cap/Oil Resitant/Anti Slip
- Size 5-12





### Saffety Thothweam

#### Art No BT 523 (HIGH ANKLE)

 Light weight Shoe that provides optimum safety and comfort

 High strength abrasion resistance & Breathable chrome printed leather

· Sole-PU/SD

 Protection Offered-Steel Toe Cap/Oil Resitant / Anti Slip

Size 5-12





#### Art No BT 524 (HIGH ANKLE)

- Light weight Shoe that provides optimum safety and comfort
- High strength abrasion resistance & Breathable chrome printed leather
- · Sole-PU/DD
- Protection Offered-Steel Toe Cap/Oil Resitant /Anti Slip
- Size 5-12



## Saffetty Itoothyrean

## Grand

The GRAND Range offers smart Styling with comfort and optimum safety.

#### Art No BT - 531

- Light weight Shoe that provides optimum safety and comfort
- High strength abrasion resistance & Breathable chrome printed leather
- Reduces the loss of concentration due to fatigue at work floor
- Good In-socks, Perspiration absorption with build in arch support features.
- · Sole-PU/DD
- Protection Offered-Steel Toe Cap/Oil Resitant/Anti Slip
- Optional Protection-Anti Static/Sharp Object/Composite Toe cap
- Size 5-12





#### Art No BT - 532

- Light weight Shoe that provides optimum safety and comfort
- High strength abrasion resistance & Breathable chrome printed leather
- Reduces the loss of concentration due to fatigue at work floor
- Good In-socks, Perspiration absorption with build in arch support features.
- · Sole-PU/SD
- Protection Offered-Steel Toe Cap/Oil Resitant/Anti Slip
- Optional Protection-Anti Static/Sharp Object/Composite Toe cap
- Size 5-12



### Saffety Toothyear

#### Art No BT - 533

- Light weight Shoe that provides optimum safety and comfort
- High strength abrasion resistance & Breathable chrome printed leather
- Reduces the loss of concentration due to fatigue at work floor
- Good In-socks, Perspiration absorption with build in arch support features.
- · Sole-PU/DD
- Protection Offered-Steel Toe Cap/Oil Resitant/Anti Slip
- Optional Protection-Anti Static/Sharp Object/Composite Toe cap
- Size 5-12



#### Art No BT - 534

- Light weight Shoe that provides optimum safety and comfort
- High strength abrasion resistance & Breathable chrome printed leather
- Reduces the loss of concentration due to fatigue at work floor
- Good In-socks, Perspiration absorption with build in arch support features.
- · Sole-PU/SD
- Protection Offered-Steel Toe Cap/Oil Resitant/Anti Slip
- Optional Protection-Anti Static/Sharp Object/Composite Toe cap
- Size 5-12





### Saffetty Hootswaar

#### Art No BT - 540 (SLIP ON)

- Light weight Shoe that provides optimum safety and comfort
- High strength abrasion resistance & Breathable chrome printed leather
- Reduces the loss of concentration due to fatigue at work floor
- · Sole-PU/SD
- · Protection Offered-Steel Toe Cap/Oil Resitant/Anti Slip
- Optional Protection-Anti Static/Sharp Object/Composite Toe cap
- Size 5-12





#### Art No BT - 560 ( JUNGLE BOOT )

- Water Repellent Polyester Viscous fabric with grain leather hard toe
- · Single density PU Sole.
- Corrosion resistant Aluminum eyelets.
- Antistatic ,Oil/Acid Resistant ,Anti Slip and heat Resistant with shock absorbing property ,Anti fatigue.
- Size 5-12



Safety Hootwean

# Worksafe Safety shoe is Economical and Comfort Range Specially designed

for work force.



#### Art No BT - 511 (STUNNER)

- Flexible PVC moulded Sole
- Breathable Leather
- Soft cautioning with extra padding

#### Art No BT - 501 (RANGER)

- Flexible PVC Injected Sole
- Synthetic Leather
- Soft cautioning with extra padding

#### Art No BT - 502 (ROCKER)

- Flexible PVC Injected Sole
- Synthetic Leather/High Ankle
- Soft cautioning with extra padding

#### Art No BT - 503 (HUNK)

- Flexible PVC Moulded Sole
- Synthetic Leather
- Soft cautioning with extra padding



# Road safety

#### Safety Cone

Beam Team Safety Cones are made for High quality plastic.

Made for LDPE & EVA.High flexibility to avoid crushing.UV Stability for non –Fading Colour. Reflective sleeve for for day night high visibility. Available in different weight and size Provision to fix plastic chain, Light bar reflector, Message plate, Plastic rope& Cone Bar. Available in Bright RED and Orange high visibility colour CE Cerified

#### Art BT RS 1050(A)

Dimension(mm)-1050x390x390 Weiht- 5.3 kg Injection moulded rubber base Reflective sleeve- 9 inch

#### Art BT RS1050(B)

Dimension(mm)-1050x390x390 Weiht-1.7 kg Reflective sleeve- 9 inch



#### Art BT RS 750(A)

Dimension(mm)-750x390x390 Weiht-4.2 kg Injection moulded rubber base Reflective sleeve- 4 inch

#### Art BT RS 750(B)

Dimension(mm)-750x390x390 Weight-1.2 kg Reflective sleeve- 4 inch




#### Injection moulded rubber base

#### **Applications**

Center lane driving
Parking zones
Men at works zone
No entry zone
Diversion of road
Temperory barricading at
hotels,Malls,Hospitals,railway
station,Airports,Petrol Pumps

#### Plastic Chain

S Type Dimension- 8 mmx48mm





### Speed Bumps

BeamTeam Speed Bumps are made of sturdy plastic. It is highly resistance to severe impact and harsh weather condition. Pre coloured material and UV Stabilizer keep them colourful .studded with reflectors on both sides to be visible to motorist during night.



#### Art BT RS 300

Plastic Speed Bumps(ABS) Dimension mm-250mmx350mmx50mm /reflector both side

#### Art BT RS 301

Plastic Speed Bumps(ABS) Dimension mm-500mmx375mmx75mm /Reflectoe both side



#### Art BT RS 400

Rubber Speed Bumps 250x350x50/Reflective beads both side

#### Art BT RS 401

Rubber Speed Bumps 500x400x75/Reflective beads both side



BeamTeam make All Types of Sinages used for Various Area including Road, Industries, Indoor, Buildings, Construction. All The Singages are confirming to IRC 67:2010 STANDARD.

SPECIFICATION				
Substrate	2-5mm thick Alumunium Sheet with decreasing treatment & fine grinding on the front side for proper pasting of reflective sheet & decreasing treatment & stove enamel paint on backside			
Reflective Material	*Engineering Grade/Safety Grade  *High Intensity Grade(Encapsulated)  *High Intensity Primatic(HIP)  *Micro Prismatic Lens Type(Diamond Grade)			
Symbol/Message/ Lettering / Border	Screen Printed/Cut -Outs			

#### Sizes Available

SIGNS	SHAPES	Regular Size(mm)	Small Size(mm)
Mandatory 1)STOP Sign 2)Give Way Sign 3)Others	Octagonal Equilateral Triangle Circular	900 900 600	600 600 400
Warning	Equilateral Triangle	900	600
Informatory	Rectangle	800x600	600x450

### Glow in Dark Sinages





### Warning - Mandatory Signages

A traffic warning sign is a type of traffic signs that indicates a hazard ahead on the road that may not be readily apparent to a driver.



### Overhead & Industrial Safety Signs

A overhead sign is a traffic sign assembly in which signs are mounted on an overhead support.





# **Training**

BeamTeam believes that only Providing World class Personal Protective Equipment is not enough. Most Products are life saving ,hence user should be trained properly How to use it Perfectly. It is always dangerous if PPE is not worn the way it has to be.

Beam Team Takes the responsibly and offers Trainings and Mockdrills to all workforce at all level

We do walk through survey in different industries for hazard Identification and risk assessment

Our Trainers are Experienced industries professionals and gives in-depth knowledge on Safety Awareness /Technical Knowledge/product knowledge.





www.beamteam.in

#### www.beamteam.in



#### CORPORATE OFFICE

BeamTeam Safety Products Pvt Ltd #434 ,A Block,AL Kareem Trade Center, MG Road,Secundrabad,Telangana-500003 Phone-040-40207266/+91 9300363500 Email- info@beamteam.in

NORTH REGIONAL OFFICE-NRO #83 Gali Bandook Wali,Chawri Bazar, Delhi-110006 Phone-+91 9907366600/9392366600 north@beamteam.in

EASTERN REGIONAL OFFICE-ERO #308,3rd Floor, 138 Canning Street, Kolkota-700001 Phone-+91 9748738307/9748734507 east@beamteam.in

WESTERN REGIONAL OFFICE-WRO #104,kalpatru building,Bhagoji Keer Marg, Mahim(West)-400016 Phone-+91 9300074441/+91 9713744949 Email-west@beamteam.in

SOUTH REGIONAL OFFICE-SRO # 435,A Block,AL Kareem Trade Center, MG Road,Secundrabad,Telangana-500003 Phone-040-40207266/+91 9849972666 Email- south@beamteam.in

CENTER REGIONAL OFFICE-CRO 1st Floor, Ashutosh Complex, Narayan Rai Compound, Punjab Mill Gali, Bhaisthan, Raipur-492001 Phone-0771-4003757/+91 9893890042